



Work Order (Bid Form)

Knoxville/Knox County Community Action Committee



WORK ORDER INFORMATION

Work Order Name: WO/80008KN0781/1

Work Order Type: Weatherization

Audit Name: 80008KN0781-Audit

CLIENT INFORMATION

Client Name:

Address:

Client ID: 80008KN0781

Alt. Client ID: Knox

AGENCY INFORMATION

Agency: Knoxville/Knox County CAC

Address: P.O.Box 51650

Knoxville, TN 37950-1650

Agency Phone: (865) 244-3080

Fax: (865) 544-1647

Email Address: jason.estes@cachousing.org

Company Name & License Number: _____

Contractor's Signature: _____

COMMENT

•Single Family Dwelling

Contractor to follow 2006 International Residential Code as adopted by the City of Knoxville or Knox County as applicable.

City

House built in 1930

An EPA Certified Firm/Renovator is required.

Client Name:

Client ID: 80008KN0781

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0781/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 1 of 7

Measures

Measure 1 Window Glazing (E1 E2 N1 N2 W1 S1)

Components

Inspected

Comment All loose glazing must be 100% removed. Push points installed as needed.
New glazing should be even, smooth, and all look uniform. Refer to Appendix
A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Estimated			Actual		
				Qty	Unit Cost	Total	Qty	Unit Cost	Total
1	Unspecified	Window Glazing (+)	Each	6	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	labor	Each	6	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

Client Name:

Client ID: 80008KN0781

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0781/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 2 of 7

Measure 2 Low-E Windows**Components W2****Inspected**

Comment •Includes labor and material. Refer to House diagram for estimated measurements. Responsibility of contractor to verify measurements in the field before ordering window(s). Contractor to include the thermal break, caulking, framing, and any other related items to convey a completed measure.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Windows	Low E Window Includes labor and material. Refer to House diagram for estimated measurements. Responsibility of contractor to verify measurements in the field before ordering window(s). Contractor must follow all egress codes if applicable. Contractor to include the thermal break, caulking, framing, and any other related items to convey a completed measure.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Low E Window	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0781

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0781/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 3 of 7

Measure 3 DWH Pipe Insulation

Components

Inspected

Comment

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	DHW Pipe Insulation Includes labor cost. All corners must be cut properly. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Pipe Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:

Sub Total:

Field Notes:

Client Name:

Client ID: 80008KN0781

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0781/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 4 of 7

Measure 4 Attic Ins. R-38**Components A1****Inspected**

Comment •Includes labor cost. Contractor to install 1 ruler for every 300 square foot of attic space showing depth of insulation. Build insulation dam around attic access. Install baffles as needed to prevent loose fill insulation from entering soffit and covering vent. Seal all holes, gaps, and penetrations in attic before insulating. Seal around chimney with sheet metal and high temperature silicone or fire resistant foam. Install R-30 fiberglass batt secured to attic access and weather strip with foam tape. Contractor to install using Resnet Grade 1 Standards. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.

☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Insulation	Attic Insulation - Blown Fiberglass - R-38	SqFt	785	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Attic Insulation - Blown Fiberglass - R-38	SqFt	785	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0781

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0781/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 5 of 7

Measure 5 DWH Tank Insulation**Components****Inspected****Comment** extend pressure relief pipe as needed☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Hot Water Equipm	DHW Tank Insulation Includes labor cost. R-10 minimum. Refer to Appendix A- Standards for Weatherization Materials and Southeast Field Guide.	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	DHW Tank Insulation	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:****Measure 6 Practice Lead Safe Weatherization (window)****Components****Inspected****Comment** A Certified Firm /Renovator is required to adhere to EPA RRP rules. Need to submit copy of Lead Report and 3 pictures (before, during, and after) of each activity.☐

#	Material / Labor	Description / Comment	Units	Qty	Estimated		Actual		
					Unit Cost	Total	Qty	Unit Cost	Total
1	Health and Safety	EPA RRP Lead Rules	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
2	Labor	Labor	Each	1	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Other Detail

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>

Measure Sub Total:**Sub Total:****Field Notes:**

Client Name:

Client ID: 80008KN0781

Alt. Client ID: Knox

Work Order (Bid Form)

Work Order Name: WO/80008KN0781/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 6 of 7

Work Order Grand Total:	<input type="text"/>	Grand Total:	<input type="text"/>
--------------------------------	----------------------	---------------------	----------------------

Client Name:

Client ID: 80008KN0781

Alt. Client ID: Knox

Work Order (Bld Form)

Work Order Name: WO/80008KN0781/1

Report Run On: 5/8/2010

DOE Weatherization Assistant

Version 8.6.0

Page 7 of 7